

CONCRETE BALCONY WATERPROOFING



WHY WATERPROOF YOUR BALCONY?

Concrete balconies are exposed to harsh weather conditions, leading to water infiltration, cracking, and structural damage. Waterproofing extends the lifespan of your balcony while enhancing safety and aesthetics.

OUR WATERPROOFING SOLUTION

Our two-layer polyurethane waterproofing system provides a highly elastic, durable, and UV-resistant waterproof barrier that adapts to surface movements, preventing cracks and leaks. First, the concrete is prepared by grinding and cleaning the surface. Next the first polyurethane coat is applied, followed by non-slip aggregates which are broadcast over the surface to provide texture. Lastly a top coat is applied which fully seals the surface.

HIGHLIGHTS & DETAILS

- Highly Elastic & Flexible – Adapts to surface movements, hot/cold weather expansions, preventing cracks.
- Seamless Application – Eliminates weak points where water could infiltrate.
- UV & Weather Resistant – Withstands extreme temperatures and sun exposure.
- Long-Lasting Durability – Offers extended protection with minimal wear & tear
- Quick Drying & Easy Application – The whole process can be applied in 2 days.

SPECIFICATIONS

Packaging:

Part A: 4 gallon (15.1L) filled pails

Part B: 1 gallon (3.79L) filled containers

Drying Schedule:

Tack Free Time: 3-4 hours

Dry Hard: 4-5 hours

Foot Traffic: 24 hours

Pot Life: 10 ± 2 minutes

Cure Time: 6 hours

Details:

Color: Gray (when mixed)

Mix Ratio: 4A:1B by volume

Shelf Life: 12 months, unopened. Store indoors at 65°F (18°C) to 90°F (32°C)

